

Acer P1173

DLP projector, 3D, 3000 lumens, 800 x 600, 4:3



The Acer P1 series projector presents breathtaking visuals for remarkable SMB or classroom presentations. Convenient utilities enable easy setup, while advanced power-management solutions conserve energy and the Earth's resources. Whether you're making business presentations or giving academic lectures, the DLP P1 series renders fascinating, multi-dimensional imagery. Advanced Acer color technologies enliven graphics with lifelike colors and preserves image integrity even with prolonged use. High brightness, contrast ratio and resolution depict sharp details.

General information

	Acer
Category	Projectors
Article number	612248
	MR.JH511.001

Technical specifications

Product Description	Acer P1173 DLP projector - 3D
---------------------	-------------------------------

Device Type	DLP projector
3D Capable	Yes
Localisation	EMEA
Brightness	3000 lumens
Contrast Ratio	17000:1 (dynamic)
Resolution	SVGA (800 x 600)
Native Aspect Ratio	4:3
Colour Support	1.07 billion colours
Bulb type	P-VIP 190 Watt
Bulb life cycle	5000 hour(s) / 10000 hour(s) (economic mode)
Video Input	RGB, S-Video, composite video (PAL-B/G, PAL-N, PAL-M, PAL-I, NTSC 4.43, NTSC 3.58, PAL-D, SECAM L, PAL-H, SECAM K1, SECAM D/K, SECAM B/G)
Video Modes	480p, 720p, 1080i, 1080p, 480i, 576i, 576p
Speakers	Speaker(s) - integrated
Power	AC 120/230 V
Power Consumption Operational	240 Watt
Dimensions (WxDxH)	26.4 cm x 22 cm x 7.8 cm
Weight	2 kg
Manufacturer Warranty	3 years warranty

More detailed technical specifications

General

Device Type	DLP projector
3D Capable	Yes
Localisation	EMEA

Projector

Brightness	3000 lumens
Brightness (Reduced)	2400 lumens
Contrast Ratio	17000:1 (dynamic)
Image Size	61 cm - 762 cm
Projection Distance	1 m - 11.3 m
Throw Ratio	1.86 - 2.04:1
Digital Zoom Factor	2x
Resolution	SVGA - SVGA (800 x 600) (native) / 1920 x 1200 (resized)
Native Aspect Ratio	4:3
Colour Support	1.07 billion colours
Max Sync Rate (V x H)	120 Hz x 100 kHz
Bulb type	P-VIP 190 Watt
Bulb life cycle	5000 hour(s) / 10000 hour(s) (economic mode)

Features	BrilliantColor, ColorBoost II+ Technology, Instant Pack Technology, DLP 3D Ready, SmartFormat Technology, 16:9 aspect ratio support, EcoProjection Technology, Acer ColorSafe II Technology, MHL compliance
----------	---

Lens

Focus Type	Manual
Lens Aperture	F/2.57-2.65
Zoom Type	Manual
Keystone Correction Direction	Vertical
Vertical Keystone Correction	-40 / +40

Video Input

TV System	PAL-B/G, PAL-N, PAL-M, PAL-I, NTSC 4.43, NTSC 3.58, PAL-D, SECAM L, PAL-H, SECAM K1, SECAM D/K, SECAM B/G
Analogue video Signal	RGB, S-Video, composite video
Video Interfaces	VGA, HDMI, composite video, S-Video
Video Modes	480p, 720p, 1080i, 1080p, 480i, 576i, 576p

Speakers

Type	Integrated
Sound Output Mode	Mono
Output Power / Channel	3 Watt
Speaker(s)	1 x mixed channel

Expansion / Connectivity

Interfaces	1 x HDMI input - 19 pin HDMI Type A ; 2 x component video / RGB input - 15 pin HD D-Sub (HD-15) ; 1 x S-video input ; 2 x audio line-in - mini-phone 3.5mm ; 1 x composite video input - RCA ; 1 x RGB output - 15 pin HD D-Sub (HD-15) ; 1 x USB - 4 pin mini-USB Type B ; 1 x serial RS-232 (management) ; 1 x audio line-out - mini-phone 3.5mm
------------	--

Miscellaneous

Included Accessories	Carrying case, wireless remote control
Cables Included	1 x VGA cable
Compliant Standards	GS, FCC, ROSTEST

Power

Power Device	Internal
Nominal Voltage	AC 120/230 V
Power Consumption Operational	240 Watt
Power Consumption Stand by	0.5 Watt

Dimensions & Weight

Width	26.4 cm
Depth	22 cm
Height	7.8 cm
Weight	2 kg

Manufacturer Warranty

Service & Support	3 years warranty
Service & Support Details	Limited warranty - 3 years Limited warranty - lamp - 1 year Limited warranty - DLP chipset - 5 years

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Sound Emission	30 dB
Sound Emission (Economic Mode)	26 dB

Siewert & Kau take no accountability nor guarantee that all information contained on these pages is current and complete.